# INDEX FOR VOLUME 30

**Abrams**, Joe I., *see* Libby, John L., 512
Aerial census: of two Montana elk herds, 364
of moose by quadrat units, 767
of ptarmigan in Newfoundland, 109
Africa: elephants in Uganda, 375, 791
Age, determination of:
bighorn sheep, by horn segment counts, 634
black bears, 389, 411
blue grouse, by molt and feather development, 712
caribou, by extraction of incisors, 842
elk, by bone characteristics, 369
mule deer, by dentition, 629
mule deer fetuses, by lens weights, 417
pheasants, by spur appearance, 81
rabbits, by lens-growth, 114
white-tailed deer, by dental cementum, 197, 200
Age ratio: Canada geese, cannon-net samples, 682
Alaska: aerial census of moose by quadrat sampling units, 767
raising caribou for an Aleutian introduction, 453
spruce seed as food of squirrels, 503
spruce grouse seasonal foods and winter diet, 729
Alberta: habitat vacancy during a snowshoe hare decline, 828
parasites of mountain goats, 786
Aleutian Islands: raising caribou for, 453
Aliev, Farman Fatullaevich, and Glen C. Sanderson. Distribution and status of the raccoon in the Soviet Union, 497
Alpha-chloralose: to capture wild turkeys, Florida, 50
American Association of School Administrators, Commission on Conservation. *Conservation in the People's Hands* (reviewed), 445
Anderson, Allen E., *see* Short, Henry L., 467
Andrews, Richard D., and Deam H. Ferris. Relationships between movement patterns of wild animals and the distribution of leptospirosis, 131
Antarctic: use of Teflon for banding penguins, 847
Antelope: die-off in trans-Pecos Texas, 488
self-collaring device, 209
Aquatic research: protective suit for, 421
Arboviruses: in waterfowl of Mississippi flyway, 570
Arizona: breeding behavior of immature mourning doves, 598
dye-spraying device for marking bighorn sheep, 208
marking harness for collared peccary, 213
pox in mourning doves and quail, 253
use of tape recorded female quail calls, 426
Atkinson-Willes, G. L., (Editor). *Wildfowl in Great Britain* (reviewed), 236
Austin-Smith, Peter J., *see* Hewitt, Oliver H., 625
**Ball**, Robert C., *see* Welch, Eugene B., 527
Banding: penguins, with Teflon bands, 847
Band-reporting rates: ducks, 264
goose and brant, 856
Basile, Joseph V., *see* Ferguson, Robert B., 839
Beale, Donald M. A self-collaring device for pronghorn antelope, 209
Bears, black: age determination, 389, 411
Behavior: African elephant, reproduction and breeding, 375
American merganser in captivity, feeding, 17
Canada geese at baited-trap sites, 685
coyotes in northern Michigan, 809
deer and livestock in enclosures, 156
European hogs released for stocking, 832
Hawaiian monk seals, basking, Laysan Island, 627
mourning doves, breeding behavior of immatures, 598
mule deer home range and dispersal, Utah, 335
cock pheasants, crowing as indices to population, 735
cock pheasants, Wisconsin, 57
quail, in response to female tape recorded calls, 426
Rio Grande turkey, wintering concentrations and seasonal shifts in range, Texas, 34
ruffed grouse drumming, use in population studies, 717
snipe in northwest California, 23
trumpeter swans, reintroduced to former prairie breeding range, 691
woodcocks, factors affecting courtship performance, 697
Bendell, J. F., *see* Stirling, Ian, 184
Bergerud, Arthur T., and W. Eugene Mercer. Census of the willow ptarmigan in Newfoundland, 101
Bergerud, Arthur T., and H. Lloyd Russell. Extraction of incisors of Newfoundland caribou, 842
Bigler, William J. A marking harness for the collared peccary, 213
Bird eggs: calculator to determine hatching dates, 195
portable incubator, 187
Bishop, Richard A., *see* Levy, Seymour H., 426
Bitterbrush: seasonal variations of available carbohydrates, 168
topping stimulates twig growth, 839
Blankenship, Lytle H., Raymond E. Reed, and Harold D. Irby. Pox in mourning doves and Gambel's quail in southern Arizona, 253
*See also* Irby, Harold D., 598
Blood, D. A., and A. L. Lovaas. Measurements and weight relationships in Manitoba elk, 135

# INDEX FOR VOLUME 30

**Abrams**, Joe I., *see* Libby, John L., 512
Aerial census: of two Montana elk herds, 364
of moose by quadrat units, 767
of ptarmigan in Newfoundland, 109
Africa: elephants in Uganda, 375, 791
Age, determination of:
bighorn sheep, by horn segment counts, 634
black bears, 389, 411
blue grouse, by molt and feather development, 712
caribou, by extraction of incisors, 842
elk, by bone characteristics, 369
mule deer, by dentition, 629
mule deer fetuses, by lens weights, 417
pheasants, by spur appearance, 81
rabbits, by lens-growth, 114
white-tailed deer, by dental cementum, 197, 200
Age ratio: Canada geese, cannon-net samples, 682
Alaska: aerial census of moose by quadrat sampling units, 767
raising caribou for an Aleutian introduction, 453
spruce seed as food of squirrels, 503
spruce grouse seasonal foods and winter diet, 729
Alberta: habitat vacancy during a snowshoe hare decline, 828
parasites of mountain goats, 786
Aleutian Islands: raising caribou for, 453
Aliev, Farman Fatullaevich, and Glen C. Sanderson. Distribution and status of the raccoon in the Soviet Union, 497
Alpha-chloralose: to capture wild turkeys, Florida, 50
American Association of School Administrators, Commission on Conservation. *Conservation in the People's Hands* (reviewed), 445
Anderson, Allen E., *see* Short, Henry L., 467
Andrews, Richard D., and Deam H. Ferris. Relationships between movement patterns of wild animals and the distribution of leptospirosis, 131
Antarctic: use of Teflon for banding penguins, 847
Antelope: die-off in trans-Pecos Texas, 488
self-collaring device, 209
Aquatic research: protective suit for, 421
Arboviruses: in waterfowl of Mississippi flyway, 570
Arizona: breeding behavior of immature mourning doves, 598
dye-spraying device for marking bighorn sheep, 208
marking harness for collared peccary, 213
pox in mourning doves and quail, 253
use of tape recorded female quail calls, 426
Atkinson-Willes, G. L., (Editor). *Wildfowl in Great Britain* (reviewed), 236
Austin-Smith, Peter J., *see* Hewitt, Oliver H., 625
**Ball**, Robert C., *see* Welch, Eugene B., 527
Banding: penguins, with Teflon bands, 847
Band-reporting rates: ducks, 264
goose and brant, 856
Basile, Joseph V., *see* Ferguson, Robert B., 839
Beale, Donald M. A self-collaring device for pronghorn antelope, 209
Bears, black: age determination, 389, 411
Behavior: African elephant, reproduction and breeding, 375
American merganser in captivity, feeding, 17
Canada geese at baited-trap sites, 685
coyotes in northern Michigan, 809
deer and livestock in enclosures, 156
European hogs released for stocking, 832
Hawaiian monk seals, basking, Laysan Island, 627
mourning doves, breeding behavior of immatures, 598
mule deer home range and dispersal, Utah, 335
cock pheasants, crowing as indices to population, 735
cock pheasants, Wisconsin, 57
quail, in response to female tape recorded calls, 426
Rio Grande turkey, wintering concentrations and seasonal shifts in range, Texas, 34
ruffed grouse drumming, use in population studies, 717
snipe in northwest California, 23
trumpeter swans, reintroduced to former prairie breeding range, 691
woodcocks, factors affecting courtship performance, 697
Bendell, J. F., *see* Stirling, Ian, 184
Bergerud, Arthur T., and W. Eugene Mercer. Census of the willow ptarmigan in Newfoundland, 101
Bergerud, Arthur T., and H. Lloyd Russell. Extraction of incisors of Newfoundland caribou, 842
Bigler, William J. A marking harness for the collared peccary, 213
Bird eggs: calculator to determine hatching dates, 195
portable incubator, 187
Bishop, Richard A., *see* Levy, Seymour H., 426
Bitterbrush: seasonal variations of available carbohydrates, 168
topping stimulates twig growth, 839
Blankenship, Lytle H., Raymond E. Reed, and Harold D. Irby. Pox in mourning doves and Gambel's quail in southern Arizona, 253
*See also* Irby, Harold D., 598
Blood, D. A., and A. L. Lovaas. Measurements and weight relationships in Manitoba elk, 135

Blood group factors: for analyzing pheasant populations, 745
Bond, Richard M., *see* Park, Robert L., 202
Bones: cleaning with Clorox, 212
Bones: elk, characteristics associated with aging, 369
pheasants, effect of various levels of dietary calcium, 65
Bradshaw, Judith E., and D. O. Trainer. Some infectious diseases of waterfowl in the Mississippi flyway, 570
Brakhage, George K. Tub nests for Canada geese, 851
Brant: proportion of recovered bands reported, 856
Breeding ecology: redhead duck in western Montana, 668
Breitenbach, Robert P., *see* Chambers, Glenn D., 65; *see* Lewis, John B., 618
Brink, C. Holden, and Frederick C. Dean. Spruce seed as a food of red squirrels and flying squirrels in interior Alaska, 503
British Columbia: censusing blue grouse, 184
determining age of young blue grouse, 712
twinning in bighorn sheep, 207
validity of horn segment counts in aging bighorn sheep, 634
Brotzman, Robert L., and Robert H. Giles, Jr. Electronic data processing of capture–recapture and related ecological data, 286
Brown, Robert L., *see* McEwen, Lowell C., 604
Browse: effect of simulated and natural browsing on mountain maple, 481
estimating use by percentage of twigs browsed, 204
evaluating key areas, method, 476
improvement by herbicides, 141
seasonal variations of carbohydrates, 168
topping stimulates bitterbrush twig growth, 839
Burger, George V. Observations on aggressive behavior of male ring-necked pheasants in Wisconsin, 57
Burton, Ian, and Robert W. Kates. *Readings in Resource Management and Conservation* (reviewed), 446
Buss, Irven O., and John M. Savidge. Change in population number and reproductive rate of elephants in Uganda, 791
Buss, Irven O., and Norman S. Smith. Observations on reproduction and breeding behavior of the African elephant, 375
Butler, G. D., Jr., and M. D. F. Udvardy. Basking behavior of the Hawaiian monk seal on Laysan Island, 627

**Calcitic** grit: availability and pheasant densities, 269
selection by pheasants, Minnesota, 276
Calcium: effects of various dietary levels on egg production and bones of pheasants, 65
Calculator: for determining duck brood hatching dates, 195
California: growth of eelgrass in relation to tidal depth, 280
preference of selected grains by geese, 9
relative toxicity of five organophosphorus mosquito larvicides to mallard ducks, 553
snipe occurrence, foods and habitat use, 23
spring weights of band-tailed pigeons, 190
Canada: censusing blue grouse, 184
census of willow ptarmigan in Newfoundland, 109
demographic factors affecting management of sandhill cranes, 581
extraction of incisors of Newfoundland caribou, 842
habitat vacancy during a snowshoe hare decline, Alberta, 828
measurements and weight relationships in Manitoba elk, 135
parasites of mountain goats in Alberta, 786
population behavior of eastern Arctic Canada geese, 536
twinning in bighorn sheep, 207
validity of horn segment counts in aging bighorn sheep, 634
Cannon-nets: age ratios of Canada geese samples, 682
Capture–recapture data: electronic processing, 286
Carbohydrates: seasonal variations in bitterbrush, 168
Caribou: extraction of incisors, Newfoundland, 842
raising, for an Aleutian introduction, 453
Cattle: range relationships with elk, Montana, 349
*See also* Livestock
Cavanaugh, Walter F. Obituary of, 451
Cellulose: and digestibility of mule deer feeds, 163
Censusing: blue grouse with recorded calls of female, Vancouver, 184
elephants in Uganda, 791
elk, aerial counting of two Montana herds, 364
jackrabbits on Jackass Flat, Nevada, 835
moose, by quadrat sampling units, 767
mountain pocket gophers, by counting mounds and earth plugs, 327
pheasants, by crowing counts, 735
ruffed grouse, by use of drumming behavior, 717
snipe winter occurrence, northwest California, 23
willow ptarmigan, Newfoundland, 101
woodcocks, reliability of censusing singing males, 697
wood ducks, autumn roosting flight counts, 657
wood ducks, float counts vs flight counts, Iowa, 13
Chambers, Glenn D., Kenneth C. Sadler, and Robert P. Breitenbach. Effects of dietary calcium levels on egg production and bone structure of pheasants, 65

Chapman, D. G., and W. S. Overton. Estimating and testing differences between population levels by the Schnabel estimation method, 173
Chromatin: of deer embryos, to determine sex, 414
Chromosome analysis: and sex identification in management and conservation of birds, 707
Clawson, Marion, *see* Held, R. Burnell, 639
Clepper, Henry. Obituary of Edward H. Graham, 644
Clorox: to clean jackrabbit humeri, 212
Cobalt: in foods and livers of pheasants, 423
Collars: marking pronghorn antelope, 209
vs nasal discs for geese, 853
Colorado: counting mounds and earth plugs to census mountain pocket gophers, 327
eruption of teeth in mule deer, 629
marking mule deer with automatic tagging device, 631
radioiodine in deer and elk thyroids during 1964–65, 781
seasonal variations in volatile fatty acids in the rumen of mule deer, 467
Competition: of jackrabbits and sheep on salt-desert ranges of Utah, 304
range relationships of elk and livestock, Montana, 349
Conaway, C. H., *see* Sinha, A. A., 121
Cook, R. S., and D. O. Trainer. Experimental lead poisoning of Canada geese, 1
Coyotes: winter activities and feeding habits, northern Michigan, 809
Crane, Stanley: sex chromosome complements, 707
Cranes, sandhill: demographic factors affecting management, 581
Crouch, Dennis E., and Leonard S. Crouch. A portable avian egg incubator, 187
Crouch, Glenn L. Preferences of black-tailed deer for native forage and Douglas-fir seedlings, 470
Crouch, Leonard S., *see* Crouch, Dennis E., 187
Crowing behavior: cock pheasants, Wisconsin, 59
Crowing counts: cock pheasants, as population indices, 735
Cunningham, Donald J., *see* DeCino, Thomas J., 249
Currie, Pat O., and D. L. Goodwin. Consumption of forage by black-tailed jackrabbits on salt-desert ranges of Utah, 304
Curry-Lindahl, Kai, (review of) G. L. Atkinson-Willes, (Editor), *Wildfowl in Great Britain*, 236
Curry-Lindahl, Kai, (review of) C. W. Mackworth-Praed, and C. H. B. Grant, *Birds of the Southern Third of Africa*, 238
Curry-Lindahl, Kai, (review of) A. Landsborough Thomson, (Editor), *A New Dictionary of Birds*, 238
Cutthroat trout: production and food in three Oregon coastal streams, 754
**Dahl**, Adrian H., *see* Whicker, F. Ward, 781
Dambach, Charles A., (review of) Ian Burton and Robert W. Kates, *Readings in Resource Management and Conservation*, 446
Data processing, electronic: of capture–recapture and related ecological data, 286
Data recording: simplified method, 519
Davis, D. H. S., (Editor). *Ecological Studies in Southern Africa* (reviewed), 638
Davis, R. W., *see* Rees, J. W., 629
Dean, Frederick C., *see* Brink, C. Holden, 503
DeCino, Thomas J., Donald J. Cunningham, and Edward W. Schafer. Toxicity of DRC-1339 to starlings, 249
Deer: browse and herbicide treatment, 141
browse use estimation, 204
Deer, black-tailed: preferences for native forage and Douglas-fir seedlings, 470
Deer, mule: effects of cellulose levels on digestibility of foods, 163
home range and dispersal in Utah, 335
lens weights of fetuses, 417
marking with automatic tagging device, 631
mineralization and eruption of mandibular teeth, 629
radioiodine in thyroids, 781
seasonal variations in fatty acids in rumen, 467
tagging devices for, 461
Deer, white-tailed: cattle fever ticks, 202
determining age from incisor cementum, 200
determining age from molar cementum, 197
effect of simulated and natural browsing on mountain maple, 481
regional differences in fawning times, North Carolina, 843
serological study of epizootic hemorrhagic disease, 777
sexing embryos by chromatin, 414
suitability of grazing enclosures for research, Texas, 151
DeGrazio, J. W., *see* Loveless, C. M., 519
Dental cementum: for age determination in deer, 197, 200
Dentition: black bear, and age determination, 393, 411
mule deer, chronology of mineralization and eruption of mandibular teeth, 629
Die-off: of pronghorns in trans-Pecos Texas, 488
Dimick, Roland E. Obituary of Arthur S. Einarsen, 451
Disease: epizootic hemorrhagic disease of deer, serological study, 777
infectious, of waterfowl in Mississippi flyway, 570
myiasis of penned cottontail rabbits, 312
parasites of mountain goats in west central Alberta, 786
pox-virus infection in doves and quail, 253
rabies among foxes and skunks, 419
recovery of ornithosis agent from naturally in-

fected white-winged doves, 594
Distribution: raccoons in Soviet Union, 497
snowshoe hares, changes in, 828
Donohoe, Robert W. Muskrat reproduction in areas of controlled and uncontrolled water-level units, 320
Dorney, Robert S. A new method for sexing ruffed grouse in late summer, 623
Douglas fir: preferences of black-tailed deer for, 470
Doves, mourning: breeding behavior of immatures, 598
pox-virus infection, 253
Doves, white-winged: recovery of ornithosis agent from, 594
DRC-1339: toxicity to starlings, 249
Drewien, Roderick C., Richard J. Vernimen, Stanley W. Harris, and Charles F. Yocom. Spring weights of band-tailed pigeons, 190
Drugs: capturing wild turkeys with alpha-chloralose, 50
toxicity of DRC-1339 to starlings, 249
Duck bands: proportion reported, 264
Ducks: calculator for determining hatching dates, 195
fall food habits, near Santee Refuge, South Carolina, 577
toxicity of some oils to, 564
Ducks, mallard: band-reporting rate, 266
some infectious diseases of, 570
toxicity to of five mosquito larvicides, 553
Ducks, redhead: breeding ecology in Montana, 668
Ducks, wood: autumn roosting flight counts as index to abundance, 657
fall food habits, Lake Marion, South Carolina, 193
float counts vs flight counts as indices to abundance, 13
protecting metal houses from raccoons, 428
sex chromosome complements, 707
Duisberg, Peter C., *see* Hodge, Carle, 862
Duke, Gary E. Reliability of censuses of singing male woodcocks, 697
Dye-spraying device: bighorn sheep, 208

**Eaton**, Randall L. Protecting metal wood duck houses from raccoons, 428
Eelgrass: growth in relation to tidal depth, 280
Egan, Joseph L., *see* Lovaas, A. L., 364
Eggs: calculator to determine hatching dates, 195
portable incubator, 187
effects on production of various levels of dietary calcium, pheasants, 65
Einarsen, Arthur S. *Black Brant: Sea Goose of the Pacific Coast* (reviewed), 444
Einarsen, Arthur S. Obituary of, 451
Electronic data processing: of capture–recapture and related ecological data, 286
Elephants: changes in population number and reproductive rate, Uganda, 791
observations on reproduction and breeding behavior, Uganda, 375
Elk: aerial counting of two Montana herds, 364
bone characteristics associated with aging, 369
browse and herbicide treatment, 141
effectiveness of neckbands, 845
measurements and weight relationships, Manitoba, 135
radioiodine in thyroids, 781
range relationships with livestock, Montana, 349
tagging devices, 461
Ellison, Laurence. Seasonal foods and chemical analysis of winter diet of Alaskan spruce grouse, 729
Enos, Gary Arthur. Obituary of, 452
Equation: generalized, for ratio method of estimating population abundance, 523
Erickson, Albert W., *see* Marks, Stuart A., 389
European hogs: released for stocking, observations of, 832
Evans, Charles D., Willard A. Troyer, and Calvin J. Lensink. Aerial census of moose by quadrat sampling units, 767
Evenden, Fred G., (review of) American Association of School Administrators, Commission on Conservation, *Conservation in the People's Hands*, 445
Evenden, Fred G. Obituary of Thomas R. Garofalo, 645

**Fallout**: radioiodine in Colorado deer and elk thyroids during 1964–65, 781
and jackrabbits, Nevada, 433, 835
Farnham, Albert T., *see* Nelson, Maynard M., 423
Farris, Gerald C., *see* Whicker, F. Ward, 781
Feed Grain Program: and pheasant production in Wisconsin, 612
Fences: and pronghorn die-off in Texas, 488
Ferguson, Robert B., and Joseph V. Basile. Topping stimulates bitterbrush twig growth, 839
Ferris, Deam H., *see* Andrews, Richard D., 131
Fish, pond: food consumption and production of, 527
*See also* Trout
Flight counts: of wood ducks as index to abundance, 13, 657
Florida: capturing wild turkeys with alpha-chloralose, 50
Food: Alaskan spruce grouse seasonal foods and winter diet, 729
cobalt in foods and livers of pheasants, 423
effects of cellulose levels on digestibility by mule deer, 163
estimating browse use by percentage of twigs browsed, 204
and production of cutthroat trout, Oregon, 754
and production of pond fish, 527

Food habits: American merganser in captivity, 17
black-tailed deer, preferences, 470
black-tailed jackrabbits on salt-desert ranges, Utah, 304
coyotes in winter, northern Michigan, 809
ducks near Santee Refuge, South Carolina, 577
elk and livestock, range relationships, Montana, 349
geese, preference of selected grains, 9
lesser scaups on breeding, migration, and wintering areas, 258
ruffed grouse, Missouri, 86
snipe in northwest California, 23
spruce seed as food of red squirrels and flying squirrels, Alaska, 503
white-tailed deer in grazing enclosures, 151
wood ducks, Lake Marion, South Carolina, 193
Food production: eel grass growth in relation to tidal depth, 280
herbicide treatment of browse, Idaho, 141
seasonal variations of carbohydrates in bitterbrush, 168
topping to stimulate bitterbrush, 839
Foxes: and skunks, prevalence of rabies among, 419
Frey, David G., (Editor). *Limnology in North America* (reviewed), 640

**Garofalo**, Thomas R. Obituary of, 645
Garrison, G. A., *see* McConnell, B. R., 168
Gates, John M. Crowing counts as indices to cock pheasant populations in Wisconsin, 735
Gates, John M. Validity of spur appearance as an age criterion in the pheasant, 81
Gates, John M., and Gary E. Ostrom. Feed Grain Program related to pheasant production in Wisconsin, 612
Geese: preference of selected grains by, California, 9
proportion of recovered bands reported, 856
Geese, Canada: experimental lead poisoning, Wisconsin, 1
factors affecting age ratios of samples caught with cannon-nets, 682
some infectious diseases, 570
plastic collars vs nasal discs for marking, 853
population behavior, eastern Arctic, 536
tub nests, Missouri, 851
Geis, A. D., (review of) J. J. Swift, editor, *Proceedings of the First European Meeting on Wildfowl Conservation*, 637
George, Harry, *see* McFarland, Larry Z., 9
Giest, Valerius. Validity of horn segment counts in aging bighorn sheep, 634
Gilbert, Douglas L. *Public Relations in Natural Resources Management* (reviewed), 243
Gilbert, Frederick F. Aging white-tailed deer by annuli in the cementum of the first incisor, 200
Giles, Robert H., Jr., *see* Brotzman, Robert L., 286
Goats, mountain: parasites of, west central Alberta, 786
Golley, Frank B., (review of) Ernest P. Walker and associates, *Mammals of the World*, 444
Goodwin, D. L., *see* Currie, Pat O., 304
Gophers, pocket: counting mounds and earth plugs to census, 327
Graham, Edward H. Obituary of, 644
Grant, C. H. B., *see* Mackworth-Praed, C. W., 238
Grimes, J. E., Thelma D. Sullivan, and J. V. Irons. Recovery of ornithosis agent from naturally infected white-winged doves, 594
Griswold, John A., *see* Hungerford, David A., 707
Grit: calcitic, availability of and pheasant densities, 269
calcitic and magnesium-bearing, selection by pheasants, 276
Grondahl, C. R., *see* Martinson, R. K., 74
Groschoff, Vera I., *see* Roedelberger, Franz A., 639
Gross, Betty L., *see* Gross, Jack E., 212
Gross, Jack E., and Betty L. Gross. Jackrabbit humeri cleaned with Clorox, 212
Grouse, Alaskan spruce: seasonal foods and chemical analysis of winter diet, 729
Grouse, blue: censusing with recorded calls of female, 184
determining age of young, 712
Grouse, ruffed: drumming behavior and population studies, 717
foods and nutrition, Missouri, 86
new method for sexing in late summer, 623
Grouse, sharp-tailed: toxicity of dieldrin and malathion, 604
Growth: of cutthroat trout in Oregon coastal streams, 754
Gullion, Gordon W. Use of drumming behavior in ruffed grouse population studies, 717

**Habitat**: breeding ecology of redhead duck in western Montana, 668
evaluating key areas by browse age and form class, 476
improvement for ruffed grouse, Missouri, 99
use related to occurrence of leptospires, 131
use, by snipe in northwest California, 23
Hailey, T. L., Jack Ward Thomas, and R. M. Robinson. Pronghorn die-off in trans-Pecos Texas, 488
Hall, John M., *see* Patton, David R., 476
Halvorson, C. H., *see* Loveless, C. M., 519
Hansen, R. M., *see* Reid, V. H., 327
Hanson, H. C. *The Giant Canada Goose* (reviewed), 636
Hares, snowshoe: habitat vacancy during a decline, Alberta, 828
Harger, Elsworth M., *see* Ozoga, John J., 809
Harness: marking collared peccary, 213
Harper, James A., and William C. Lightfoot. Tag-

ging devices for Roosevelt elk and mule deer, 461
Harris, Stanley W., *see* Drewien, Roderick C., 190; *see* Keller, Mathew, 280; *see* White, Marshall, 23
Hartung, Rolf, and George S. Hunt. Toxicity of some oils to waterfowl, 564
Hatching dates: calculator to determine, 195
Hatfield, J. P., *see* Stephen, W. J. D., 581
Haugen, Arnold O., *see* Hein, Dale, 657
Hayden, Page. Seasonal occurrence of jackrabbits on Jackass Flat, Nevada, 835
Hawaii: basking behavior of monk seal, 627
Hein, Dale. Float counts vs flight counts as indices to abundance of nesting wood ducks, 13
Hein, Dale, and Arnold O. Haugen. Autumn roosting flight counts as an index to wood duck abundance, 657
Held, R. Burnell, and Marion Clawson. *Soil Conservation in Perspective* (reviewed), 639
Herbicides: use to increase browse, 141
Hewitt, Oliver H., and Peter J. Austin-Smith. A simple wing tag for field-marking birds, 625
Hewlett, John D., (review of) Carle Hodge and Peter C. Duisberg (Editors), *Aridity and Man*, 860
Hewlett, John D., (review of) Wayne Thorne (Editor), *Land and Water Use*. Roma K. McNickle (Editor), *Water: Development, Utilization and Conservation*, 242
Hodge, Carle, and Peter C. Duisberg (Editors). *Aridity and Man* (reviewed), 862
Hogs, European: released for stocking, Tennessee, 832
Holmes, John C., *see* Kerr, Gordon R., 786
Home range: comparison of methods of calculating areas of animal activity, 293
deer and livestock grazing pressure, 151
and dispersal of mule deer, Utah, 335
review of study of mammal movements, 215
Hooper, Emmet T., (review of) Lloyd Glenn Ingles, *Mammals of the Pacific States: California, Oregon, and Washington*, 861
Hungerford, David A., Robert L. Snyder, and John A. Griswold. Chromosome analysis and sex identification in management and conservation of birds, 707
Hunt, George S., *see* Hartung, Rolf, 564
Hybridization: between wild and domestic turkeys, Missouri, 431

**Idaho**: herbicide treatment of browse on big-game winter range, 141
topping stimulates bitterbrush twig growth, 839
Illinois: factors affecting age ratios of samples of Canada geese caught with cannon-nets, 682
leptospirosis and movement patterns of wild animals, 131
prevalence of rabies among foxes and striped skunks, 419
protecting metal wood duck houses from raccoons, 428
Ingles, Lloyd Glenn. *Mammals of the Pacific States: California, Oregon, and Washington* (reviewed), 861
Insecticides: toxicity to mallard ducks, 553
toxicity to sharp-tailed grouse, 604
Iowa: blood group factors for analyzing pheasant populations, 745
flight counts of wood ducks, 657
float counts vs flight counts of nesting wood ducks, 13
Irby, Harold D., and Lytle H. Blankenship. Breeding behavior of immature mourning doves, 598
*See also* Blankenship, Lytle H., 253
Irons, J. V., *see* Grimes, J. E., 594

**Jackrabbits**: black-tailed; consumption of forage on salt-desert ranges, Utah, 304
humeri cleaned with Clorox, 212
radioactivity in, after Sedan test, 433
seasonal occurrence on Jackass Flat, Nevada, 835
Jenkins, James H., (review of) Eric Robins, *Africa's Wildlife—Survival or Extinction?*, 639
Jenkins, James H., (review of) Franz A. Roedelberger and Vera I. Groschoff, *African Wildlife*, 639
Johnsgard, Paul A. *Handbook of Waterfowl Behavior* (reviewed), 860
Jones, Richard W., (review of) Douglas L. Gilbert, *Public Relations in Natural Resources Management*, 243
Jones, Robert D., Jr. Raising caribou for an Aleutian introduction, 453
Jonkel, Charles J., *see* Stoneberg, Ronald P., 411

**Kainer**, R. A., *see* Rees, J. W., 629
Keith, James O., and Mir S. Mulla. Relative toxicity of five organophosphorus mosquito larvicides to mallard ducks, 553
Keith, Lloyd B. Habitat vacancy during a snowshoe hare decline, 828
Keller, Mathew, and Stanley W. Harris. The growth of eelgrass in relation to tidal depth, 280
Kenyon, K. W., *see* Sinha, A. A., 121
Kerr, Gordon R., and John C. Holmes. Parasites of mountain goats in west central Alberta, 786
Killdeers: rearing for experimental purposes, 589
Knight, Richard R. Bone characteristics associated with aging in elk, 369
Knight, Richard R. Effectiveness of neckbands for marking elk, 845
*See also* Lovaas, A. L., 364
Kopischke, Earl D. Selection of calcium- and magnesium-bearing grit by pheasants in Minnesota, 276
Kopischke, Earl D., and Maynard M. Nelson.

Grit availability and pheasant densities in Minnesota and South Dakota, 269
Korschgen, Leroy J. Foods and nutrition of ruffed grouse in Missouri, 86
*See also* Rogers, John P., 258
Krefting, L. W., M. H. Stenlund, and R. K. Seemel. Effect of simulated and natural deer browsing on mountain maple, 481
Kuck, Thomas L. An improved battery hookup for radio-telemetry studies, 858

**Lance**, Art N., *see* Zwickel, Fred C., 712
Latta, William C., and Reginald F. Sharkey. Feeding behavior of the American merganser in captivity, 17
Lead poisoning: experimental, of Canada geese, 1
Lens growth: curve in cottontail rabbits, Wisconsin, 114
Lensink, Calvin J., *see* Evans, Charles D., 767
Lens weights: mule deer fetuses, 417
Leptospirosis: distribution related to movement patterns of wild animals, 131
Levy, John J., *see* Levy, Seymour H., 426
Levy, Seymour H., John J. Levy, and Richard A. Bishop. Use of tape recorded female quail calls during the breeding season, 426
Lewis, James C. Observations of pen-reared European hogs released for stocking, 832
Lewis, John B. Hybridization between wild and domestic turkeys in Missouri, 431
Lewis, John B., and Robert P. Breitenbach. Breeding potential of subadult wild turkey gobblers, 618
Libby, John L., and Joe I. Abrams. Anticoagulant rodenticide in paper tubes for control of meadow mice, 512
Lightfoot, William C., *see* Harper, James A., 461
Livestock: grazing in deer enclosures, and research 151
range relationships with elk, 349
Lokemoen, John T. Breeding ecology of the redhead duck in western Montana, 668
Lowry, Gerald R. Production and food of cutthroat trout in three Oregon coastal streams, 754
Lovaas, A. L., Joseph L. Egan, and Richard R. Knight. Aerial counting of two Montana elk herds, 364
*See also* Blood, D. A., 135
Loveless, C. M., G. N. Sarconi, J. W. DeGrazio, and C. H. Halvorson. A simplified data-recording method, 519

**McCann**, J. A., *see* Martinson, R. K., 856
McConnell, B. R., and G. A. Garrison. Seasonal variations of available carbohydrates in bitterbrush, 168
McEwen, Lowell C., and Robert L. Brown. Acute toxicity of dieldrin and malathion to wild sharp-tailed grouse, 604
McFarland, Larry Z., and Harry George. Preference of selected grains by geese, 9
McGilvrey, Frank B. Fall food habits of ducks near Santee Refuge, South Carolina, 577
McGilvrey, Frank B. Fall food habits of wood ducks from Lake Marion, South Carolina, 193
McKinney, Frank, (review of) Paul A. Johnsgard, *Handbook of Waterfowl Behavior*, 860
McMahan, Craig A. Suitability of grazing enclosures for deer and livestock research on the Kerr wildlife management area, Texas, 151
McNickle, Roma K., (Editor). *Water: Development, Utilization and Conservation* (reviewed), 242
MacInnes, C. D. Population behavior of eastern Arctic Canada geese, 536
Mackworth-Praed, C. W., and C. H. B. Grant. *Birds of the Southern Third of Africa* (reviewed), 238
Magnesium: in pheasant grit, 269
selection of, in grit, by pheasants, 276
Mallards: band-reporting rate, 266
some infectious diseases of, 570
toxicity of mosquito larvicides, 553
Malone, Charles R., and Vernon W. Proctor. Rearing killdeers for experimental purposes, 589
Management: breeding potential of subadult wild turkey gobblers, 618
effect of deer browsing on mountain maple, 481
electronic data processing, 286
evaluating key areas by browse age and form class, 476
herbicide use to increase browse, 141
mule deer home range and dispersal in Utah, 335
pheasant production and Feed Grain Program in Wisconsin, 612
pronghorn die-off in trans-Pecos Texas, 488
proportion of recovered bird bands reported, 264, 856
protecting metal wood duck houses from raccoons, 428
raising caribou for an Aleutian introduction, 453
range relationships of elk and livestock, Montana, 349
reintroducing trumpeter swan to former breeding range, 691
Rio Grande turkey, Texas, 34
sandhill cranes, demographic factors affecting management, 581
tub nests for Canada geese, 851
Manitoba elk: measurements and weight relationships, 135
Marburger, Rodney G., *see* Thomas, Jack Ward, 34
Marking: desert bighorn sheep by dye-spraying, 208
geese, plastic collars vs nasal discs, 853
harness for collared peccary, 213
neckbands for elk, 845
self-collaring device for pronghorn antelope, 209

Marks, Stuart A., and Albert W. Erickson. Age determination in the black bear, 389
Martinson, R. K. Proportion of recovered duck bands that are reported, 264
Martinson, R. K., and C. R. Grondahl. Weather and pheasant populations in southwestern North Dakota, 74
Martinson, R. K., and J. A. McCann. Proportion of recovered goose and brant bands that are reported, 856
Maryland: proportion of recovered game bird bands reported, 264, 856
Mech, L. David, (review of) Raymond F. Dasmann, *Wildlife Biology*, 641
Medin, Dean E., *see* Short, Henry L., 467
Mercer, W. Eugene, *see* Bergerud, Arthur T., 101
Merganser, American: feeding behavior of, in captivity, 17
Mice, meadow: rodenticide in paper tubes for control of, 513
Michigan: food consumption and production of pond fish, 527
plastic collars vs nasal discs for marking geese, 853
reliability of censuses of singing male woodcocks, 697
winter activities and feeding habits of coyotes, 809
Migration: population behavior of eastern Arctic Canada geese, 536
Miller, R. S., *see* Stephen, W. J. D., 581
Minnesota: effect of simulated and natural deer browsing on mountain maple, 481
grit availability and pheasant densities, 269
selection of calcium- and magnesium-bearing grit by pheasants, 276
use of drumming behavior in ruffed grouse population studies, 717
Missouri: breeding potential of subadult wild turkey gobblers, 618
effects of dietary calcium levels on egg production and bone structure of pheasants, 65
foods and nutrition of ruffed grouse, 86
hybridization between wild and domestic turkeys, 431
tub nests for Canada geese, 851
Mohr, Carl O., and William A. Stumpf. Comparison of methods for calculating areas of animal activity, 293
Monnie, James B. Reintroduction of the trumpeter swan to its former prairie breeding range, 691
Montana: aerial counting of two elk herds, 364
bone characteristics associated with aging in elk, 369
breeding ecology of redhead duck, 668
effectiveness of neckbands for marking elk, 845
estimating browse use by percentage of twigs browsed, 204
lens weights of mule deer fetuses, 417
range relationships of elk and livestock, Crow Creek Drainage, 349
toxicity of dieldrin and malathion to sharp-tailed grouse, 604
Moose: aerial census of by quadrat sampling units, 767
Mosquito larvicides: toxicity to mallard ducks, 553
Mountain maple: effect on of simulated and natural deer browsing, 481
Movements: elephants in Uganda, 791
methods for calculating, compared, 293
of mammals, a review, 215
of mule deer, Utah, 335
of snowshoe hares, habitat vacancy during decline, 828
of wild animals and leptospirosis, 131
Mowat, Farley. *Never Cry Wolf* (reviewed), 236
Moyle, John B., *see* Nelson, Maynard M., 423
Mueggler, Walter F. Herbicide treatment of browse on a big-game winter range in northern Idaho, 141
Mulla, Mir S., *see* Keith, James O., 553
Muskrats: reproduction in controlled and uncontrolled water-level units, 320
Myiasis: by flesh fly, mortality factor of cottontail rabbits, 312

**Neckbands**, effectiveness for elk, 845
Nellis, Carl H. Lens weights of mule deer fetuses, 417
Nelson, Harvey K., (review of) H. C. Hanson, *The Giant Canada Goose*, 636
Nelson, Maynard M., John B. Moyle, and Albert T. Farnham. Cobalt levels in foods and livers of pheasants, 423
*See also* Kopischke, Earl D., 269
Nesting: of Canada geese in tubs, 851
Nevada: radioactivity in jackrabbits after Sedan test, 433
seasonal occurrence of jackrabbits on Jackass Flat, 835
Newcomb, H. R. Obituary of Walter F. Cavanaugh, 451
Newfoundland: caribou; extraction of incisors, 842
census of willow ptarmigan, 101
New Mexico: evaluating key areas by browse age and form class, 476
Niethammer, Günther, Jochen Niethammer, and Josef Szijj. *The Introduction of Mammals and Birds to Europe* (reviewed), 240
North Carolina: regional differences in fawning times of deer, 843
North Dakota: pheasant populations and weather, 74
Nuclear testing: jackrabbits on Jackass Flat, Nevada, 835
jackrabbits after Sedan test, 433
radioiodine in Colorado deer and elk thyroids during 1964–65, 781

Nutrition: cobalt levels in foods and livers of pheasants, 423
effects of cellulose levels on digestibility of mule deer foods, 163
seasonal variations in volatile fatty acids in rumen of mule deer, 467
of spruce-needle diet of Alaskan spruce grouse, 729
spruce seed as food of squirrels in Alaska, 503

**Obituaries**: Cavanaugh, Walter F., 451
Einarsen, Arthur S., 451
Enos, Gary Arthur, 452
Thomas R. Garofalo, 645
Edward H. Graham, 644
Parker, Lansing A., 244
Severy, Joseph Warren, 246
Ohio: effects of common environment on cottontail ovulation rates, 819
muskrat reproduction in areas of controlled and uncontrolled water-level units, 320
Oils, industrial: toxicity to waterfowl, 564
Orchards: anticoagulant rodenticide in paper tubes for control of meadow mice, 512
Oregon: preferences of black-tailed deer for native forage and Douglas-fir seedlings, 470
production and food of cutthroat trout in three coastal streams, 754
seasonal variations of available carbohydrates in bitterbrush, 168
tagging devices for Roosevelt elk and mule deer, 461
Ornithosis agent: recovered from infected white-winged doves, 594
Ostrom, Gary E., *see* Gates, John M., 612
Otter, sea: reproduction in female, 121
Overton, W. S., *see* Chapman, D. G., 173
Ozoga, John J., and Elsworth M. Harger. Winter activities and feeding habits of northern Michigan coyotes, 809

**Parasites**: flesh fly on penned cottontail rabbits, 317
of mountain goats in west central Alberta, 786
Park, Robert L., Oliver Skov, George A. Seaman, and Richard M. Bond. Deer and cattle fever ticks, 202
Patton, David R., and John M. Hall. Evaluating key areas by browse age and form class, 476
Peccary, collared: marking harness, 213
Pengelly, Leslie. Obituary of Joseph Warren Severy, 246
Penguins: use of Teflon for banding, 847
Penney, R. L., and W. J. L. Sladen. The use of of Teflon for banding penguins, 847
Pheasants, ring-necked: aggressive behavior of male, Wisconsin, 57
aging by spur appearance, 81
cobalt in foods and livers of, 423
crowing counts as indices to cock populations, Wisconsin, 735
densities and availability of grit, 269
effects of dietary calcium on egg production and bone structure, Missouri, 65
population analyses by blood group factors, 745
production related to Feed Grain Program in Wisconsin, 612
selection of calcium- and magnesium-bearing grit, 276
weather related to populations in North Dakota, 74
Phillips, J. L., *see* Simmons, Norman M., 208
Pigeons, band-tailed: spring weights, California, 190
Pimlott, Douglas H., (review of) Farley Mowat, *Never Cry Wolf*, 236
Pomeroy, Lawrence R., (review of) David G. Frey, (Editor), *Limnology in North America*, 640
Population: behavior of eastern Arctic Canada geese, 536
Canada geese cannon-net samples, factors affecting age ratios, 682
counting mounds and earth plugs to census mountain pocket gophers, 327
cutthroat trout in Oregon coastal streams, 754
dynamics of deer and livestock grazing pressures, 151
elephants in Uganda, 791
estimating by Schnabel method, 173
generalized equation for ratio method of estimating, 523
pheasants, blood group factors for analyzing, 745
pheasants in North Dakota, related to weather, 74
pheasants, Wisconsin, 58
pheasants in Wisconsin, crowing counts as indices to, 735
ptarmigan in Newfoundland, 101
raccoons in Soviet Union, 497
Rio Grande turkey, Texas, 34
ruffed grouse, use of drumming behavior to study, 717
sandhill cranes, 581
snowshoe hares, habitat vacancy during decline, 828
trumpeter swans reintroduced to former prairie breeding range, 691
woodcocks, reliability of censuses of singing males, 697
wood ducks, flight counts as index, 657
wood ducks, float counts vs flight counts as indices, 13
Pox-virus infection: in doves and quail, 253
Predation: of American merganser on trout, 17
Proctor, Vernon W., *see* Malone, Charles R., 589
Production: cutthroat trout, and food in three Oregon coastal streams, 754

pheasants and Feed Grain Program, 612
Prolin, to control meadow mice, 512
Pronghorn antelope: die-off in trans-Pecos Texas, 488
Ptarmigan: censusing in Newfoundland, 101

**Quail:** use of tape recorded female calls during breeding season, 426
Quail, Gambel's: pox-virus infection, 253
Quick, Horace F., (review of) D. H. S. Davis, (Editor), *Ecological Studies in Southern Africa*, 638

**Rabbits**, cottontail: biology of penned, 312
effects of a common environment on ovulation rates, 819
lens-growth curve from southern Wisconsin, 114
Rabies: prevalence of among foxes and striped skunks, 419
Raccoons: distribution and status in Soviet Union, 497
protecting metal wood duck houses from, 428
Radioactivity: in jackrabbits after the Sedan test, 433
seasonal occurrence of jackrabbits on Jackass Flat, Nevada, 835
Radioiodine: in Colorado deer and elk thyroids during 1964–65, 781
Radio-tracking: improved battery hookup, 858
grouse, to determine toxicity of insecticides, 604
Range relationships: elk and livestock, 349
Ransom, A. Brian. Determining age of white-tailed deer from layers in cementum of molars, 197
Rats: multiwall tarps and bags tested for repellency, 180
Raveling, Dennis G. Factors affecting age ratios of samples of Canada geese caught with cannon-nets, 682
Redhead duck: breeding ecology in Montana, 668
Reed, Raymond E., *see* Blankenship, Lytle H., 253
Rees, J. W., R. A. Kainer, and R. W. Davis. Chronology of mineralization and eruption of mandibular teeth in mule deer, 629
Reid, V. H., R. M. Hansen, and A. L. Ward. Counting mounds and earth plugs to census mountain pocket gophers, 327
Reproduction: bighorn sheep, twinning, 207
cottontail rabbits, effects of common environment on ovulation rate, 819
cottontail rabbits, penned, 312
deer, regional differences in fawning times, North Carolina, 843
elephants, breeding behavior, 375
elephants in Uganda, change of rate, 791
immature mourning doves, breeding behavior, 598
muskrats, in controlled and uncontrolled water-level units, 320
sea otter, female, 114
wild turkey gobblers, breeding potential of subadults, 618
Robinette, W. Leslie. Mule deer home range and dispersal in Utah, 335
Robins, Eric. *Africa's Wildlife—Survival or Extinction?* (reviewed), 639
Robinson, R. M., *see* Hailey, T. L., 488
Rodenticide: in paper tubes for control of meadow mice, 512
Roedelberger, Franz A., and Vera I. Groschoff. *African Wildlife* (reviewed), 639
Rogers, John P., and Leroy J. Korschgen. Foods of lesser scaups on breeding, migration, and wintering areas, 258
Rongstad, Orrin J. Biology of penned cottontail rabbits, 312
Rongstad, Orrin J. A cottontail rabbit lens-growth curve from southern Wisconsin, 114
Rowland, Richard H., *see* Turner, Frederick B., 433
Rue, Leonard Lee. *The World of the Beaver* (reviewed), 241
Rumen: seasonal variations in fatty acids, mule deer, 467
Rupp, Robert S. Generalized equation for ratio method of estimating population abundance, 523
Russell, H. Lloyd, *see* Bergerud, Arthur T., 842
Russell, Kenneth R. Effects of a common environment on cottontail ovulation rates, 819
Ryder, Ronald A., (review of) Arthur S. Einarsen, *Black Brant: Sea Goose of the Pacific Coast*, 444

**Sadler**, Kenneth C., *see* Chambers, Glenn D., 65
Sanderson, Glen C. The study of mammal movements—a review, 215
Sanderson, Glen C., *see* Aliev, Farman Fatullaevich, 497
Sarconi, G. N., *see* Loveless, C. M., 519
Savidge, John M., *see* Buss, Irven R., 791
Scaups, lesser: foods on breeding, migration, and wintering areas, 258
Schafer, Edward W., *see* DeCino, Thomas J., 249
Schnabel estimation method: testing differences between population levels, 173
Schranck, Barnet. A device for determining duck brood hatching dates, 195
Sea otter: reproduction in the female, 121
Seal, Hawaiian monk: basking behavior on Laysan Island, 627
Seaman, George A., *see* Park, Robert L., 202
Sedan test: radioactivity in jackrabbits after, 433
Seemel, R. K., *see* Krefting, L. W., 481
Segelquist, C. A. Sexing white-tailed deer embryos by chromatin, 414
Severaid, J. Harold. Obituary of Gary Arthur Enos, 452
Severy, Joseph Warren. Obituary of, 246

Sex determination: by chromatin in embryos, white-tailed deer, 414
by chromosome analysis in birds, 707
by weights of band-tailed pigeons, 190
new method for sexing ruffed grouse in late summer, 623
Sharkey, Reginald F., *see* Latta, William C., 17
Sheep: competition with jackrabbits on Utah salt-desert ranges, 304
range relationships with elk, Montana, 349
Sheep, bighorn: dye-spraying device, 208
twinning, 207
validity of horn segment counts in aging, 634
Sherwood, Glen A. Flexible plastic collars compared to nasal discs for marking geese, 853
Short, Henry L. Effects of cellulose levels on the apparent digestibility of feeds eaten by mule deer, 163
Short, Henry L., Dean E. Medin, and Allen E. Anderson. Seasonal variations in volatile fatty acids in rumen of mule deer, 467
Siglin, Roger J. Marking mule deer with an automatic tagging device, 631
Simmons, Norman M. Modifications of a dye-spraying device for marking desert bighorn sheep, 208
Sinha, A. A., C. H. Conaway, and K. W. Kenyon. Reproduction in the female sea otter, 121
Skov, Oliver, *see* Park, Robert L., 202
Skunks, striped: and foxes, prevalence of rabies among, 419
Sladen, W. J. L., *see* Penney, R. L., 847
Smith, Norman S., *see* Buss, Irven O., 375
Snipe: winter occurrence, foods, and habitat use, northwest California, 23
Snyder, Robert L., *see* Hungerford, David A., 707
South Dakota: grit availability and pheasant densities, 269
trumpeter swans, reintroduction to former prairie breeding range, 691
South Carolina: fall food habits of ducks near Santee Refuge, 577
food habits of wood ducks, 193
Soviet Union: distribution and status of raccoon, 497
Spalding, D. J. Twinning in bighorn sheep, 207
Spruce needles: diet of Alaskan spruce grouse, 729
Squirrels: spruce seed as food of, Alaska, 503
Stanley crane: sex chromosome complements, 707
Starlings: toxicity of DRC-1339 to, 249
Stenlund, M. H., *see* Krefting, L. W., 481
Stephen, W. J. D., R. S. Miller, and J. P. Hatfield. Demographic factors affecting management of sandhill cranes, 581
Stevens, David R. Range relationships of elk and livestock, Crow Creek Drainage, Montana, 349
Stickney, Peter F. Browse utilization based on percentage of twig numbers browsed, 204
Stirling, Ian, and J. F. Bendell. Census of blue grouse with recorded calls of a female, 184
Stoneberg, Ronald P., and Charles J. Jonkel. Age determination of black bears by cementum layers, 411
Storm, G. L., *see* Verts, B. J., 419
Stumpf, William A., *see* Mohr, Carl O., 293
Swans, trumpeter: reintroduction to former prairie breeding range, 691
Suit, protective: for aquatic research, 421
Sullivan, Thelma D., *see* Grimes, J. E., 594
Swift, J. J., (Editor). *Proceedings of the First European Meeting on Wildfowl Conservation* (reviewed), 637
Szijj, Josef, *see* Niethammer, Günther, 240

**Tagging**: mule deer, automatically, 631
Roosevelt elk and mule deer, 461
simple wing-tag for field-marking birds, 625
*See also* Marking
Tarbush: and pronghorn die-off in Texas, 488
Tarps, multiwall: tested for rat repellency, 180
Tarshis, I. Barry. A protective suit for aquatic research, 421
Taxonomy: demographic factors affecting management of sandhill cranes, 581
Taylor, Walter P., (review of) Leonard Lee Rue, *The World of the Beaver*, 241
Techniques: aerial census of moose by quadrat sampling units, 767
aerial counting of elk herds, Montana, 364
analyzing blood group factors for indices to pheasant populations, 745
analyzing jackrabbits for radioactivity, 433
calculating lens-growth curve for rabbits, 114
censusing blue grouse with recorded calls of a female, 184
censusing ptarmigan, 101
censusing singing male woodcocks, 697
cleaning bones with Clorox, 212
crowing count of cock pheasants, 735
counting autumn roosting flights of wood ducks, 657
data-recording, a simplified method, 519
determining age in black bear, 389
determining age of young blue grouse, 712
determining available carbohydrates in bitterbrush, 168
determining calcium and magnesium content of pheasant grit, 269, 276
determining eelgrass growth in relation to tidal depth, 280
determining effects of various levels of dietary calcium on pheasants, Missouri, 66
determining foods of lesser scaups, 258
determining foods of ruffed grouse, 86
determining forage habits of elk and livestock, 349
determining muskrat reproduction, 320
determining populations of sandhill cranes, 581
determining toxicity of insecticides to grouse, 604

determining toxicity of DRC-1339 to starlings, 250
determining toxicity of larvicides to ducks, 533
device to determine duck brood hatching dates, 195
estimating browse use by percentage of twigs browsed, 204
estimating population abundance by ratio method; generalized equation for, 523
estimating population and growth of cutthroat trout, 754
estimating populations of mountain pocket gophers, 327
evaluating key areas by browse age and form class, 476
experimental lead poisoning of Canada geese, 2
extracting incisors of Newfoundland caribou, 842
marking bighorn sheep, dye-spraying, 208
marking birds, a simple wing tag, 625
marking elk by neckbands, effectiveness, 845
marking geese, plastic collars vs nasal discs, 853
marking harness for collared peccary, 213
marking mule deer with automatic tagging device, 631
marking pronghorn antelope, self-collaring device, 209
measuring food consumption and production of pond fish, 527
measuring growth response of mountain maple to browsing, 481
portable egg incubator, 187
preparing teeth of black bears for determining cementum layers, 411
protecting metal wood duck houses from raccoons, 428
protective suit for aquatic research, 421
radio-telemetry studies, improved battery hookup, 858
raising caribou for an Aleutian introduction, 453
rearing killdeers for experimental purposes, 589
rearing penned cottontails, 312
recovering ornithosis agent from doves, 594
reintroducing trumpeter swan to former breeding range, 691
sexing ruffed grouse in late summer, 623
sexing white-tailed deer embryos by chromatin, 414
studying deer behavior in enclosures, and free-ranging, 151
studying forage habits of jackrabbits in Utah, 304
studying mammal movements, review, 215
surgical, to remove overdose of alpha-chloralose in wild turkeys, 50
tagging devices for elk and mule deer, 461
testing for arboviruses, 570
testing digestibility of feeds, mule deer, 164
testing effects of herbicides on browse production, 141
testing grain preference of geese, 9
testing size of trout eaten by mergansers, 17
topping to stimulate bitterbrush twig growth, 839
tub nests for Canada geese, 851
using Teflon for banding penguins, 847
using tape recorded female quail calls, 426
Teflon: for banding penguins, 847
Tennessee: observations of pen-reared European hogs released for stocking, 832
Texas: ornithosis agent recovered from white-winged doves, 594
pronghorn die-off, 488
suitability of grazing enclosures for deer and livestock research, 151
wintering concentrations and seasonal shifts in range in the Rio Grande turkey, 34
Ticks: cattle fever, and deer, 202
on penned cottontail rabbits, 318
Tidal depth: relation to eelgrass growth, 280
Tigner, J. R. Chemically treated multiwall tarps and bags tested for rat repellency, 180
Thomas, Jack Ward, Calvin Van Hoozer, and Rodney G. Marburger. Wintering concentrations and seasonal shifts in range in the Rio Grande turkey, 34
Thomas, Jack Ward, *see* Hailey, T. L., 488
Thomson, Landsborough A. (Editor). *A New Dictionary of Birds* (reviewed), 238
Thorne, Wayne, (Editor). *Land and Water Use* (reviewed), 242
Toxicity: of dieldrin and malathion to wild sharp-tailed grouse, 604
of five organophosphorus mosquito larvicides to mallard ducks, 553
of industrial oils to waterfowl, 564
of lead poisoning to Canada geese, 1
Trainer, D. O., *see* Bradshaw, Judith E., 570; *see* Cook, R. S., 1; *see* Wilhelm, A. R., 777
Trout: American merganser as predator, 17
cutthroat, production and food in three Oregon coastal streams, 754
Troyer, Willard A., *see* Evans, Charles D., 767
Trumpeter swan: reintroduction to former prairie breeding range, 691
Turkeys: breeding potential of subadults, 618
capturing with alpha-chloralose, Florida, 50
hybridization between wild and domestic, Missouri, 431
Rio Grande, wintering concentrations and seasonal shifts in range, Texas, 34
Turner, Frederick B., Richard H. Rowland, and Robert A. Wood. Nuclear engineering and wildlife: radioactivity in jackrabbits after the Sedan test, 433
Twinning: bighorn sheep, 207

**Udvardy,**. Miklos D. F., (review of) Günther Niethammer et al., *The Introduction of Mammals and Birds to Europe*, 240

Udvardy, M. D. F., *see* Butler, G. D., Jr., 627
Uganda: changes in population number and reproductive rate of elephants, 791
observations on reproduction and breeding behavior of elephants, 375
Utah: consumption of forage by black-tailed jackrabbits on salt-desert ranges, 304
mule deer home range and dispersal, 335

**Van Hoozer**, Calvin, *see* Thomas, Jack Ward, 34
Vernimen, Richard J., *see* Drewien, Roderick C., 190
Verts, B. J., and G. L. Storm. A local study of prevalence of rabies among foxes and striped skunks, 419
Virgin Islands: deer and cattle fever ticks, 202
Vohs, Paul A., Jr. Blood group factors for analyzing pheasant populations, 745

**Waterfowl**: some infectious diseases of, in Mississippi flyway, 570
toxicity of some oils to, 564
*See also* Ducks, Geese
Ward, A. L., *see* Reid, V. H., 327
Walker, Ernest P., and associates. *Mammals of the World* (reviewed), 444
Weather: and increased grain consumption by geese, 9
relation to pheasant population fluctuations, southwestern North Dakota, 74
Weber, Andrew J. Regional differences in fawning times of North Carolina deer, 843
Weight: band-tailed pigeons, 190
Manitoba elk, 135
Welch, Eugene B., and Robert C. Ball. Food consumption and production of pond fish, 527
Whicker, F. Ward, Gerald C. Farris, and Adrian H. Dahl. Radioiodine in Colorado deer and elk thyroids during 1964–65, 781
White, Marshall, and Stanley W. Harris. Winter occurrence, foods, and habitat use of snipe in northwest California, 23
Wildlife Society, The
Aldo Leopold award for 1966, 654
minutes of annual business meeting, March 14, 1966, 652
minutes of council meeting, March 12–13, 1966, 650
minutes of special council meeting, March 14, 1966, 653
minutes of council meeting, September 13–14, 1966, 868
report of the executive secretary for 1965, 646
Wilhelm, A. R., and D. O. Trainer. A serological study of epizootic hemorrhagic disease of deer, 777
Wilkins, Bruce T., (review of) R. Burnell Held and Marion Clawson, *Soil Conservation in Perspective*, 639
Williams, Lovett E. Capturing wild turkeys with alpha-chloralose, 50
Wisconsin: anticoagulant rodenticide in paper tubes for control of meadow mice, 512
biology of penned cottontail rabbits, 312
cottontail rabbit lens-growth curve, 114
experimental lead poisoning of Canada geese, 1
Feed Grain Program related to pheasant production, 612
pheasants, aggressive behavior of males, 57
pheasants, crowing counts as population indices, 735
pheasants, spur appearance as age criterion, 81
serological study of epizootic hemorrhagic disease of deer, 777
Wood, Robert A., *see* Turner, Frederick B., 433
Woodcocks: reliability of censuses of singing males, 697
Wood ducks: autumn roosting flight counts, 657
float counts vs flight counts as indices to abundance, 13
sex chromosome complements, 707

**Yocom**, Charles F., *see* Drewien, Roderick C., 190

**Zwickel**, Fred C., and Art N. Lance. Determining the age of young blue grouse, 712

*Errata*

In Vol. 30, No. 3, page 477, Fig. 1, under the heading "*Young plant,*" last item should read: Usually between ⅛- and ¼-inch diameter.
Under the heading "*Heavily hedged,*" first item should read: 61 percent or more of twigs browsed.


**Wildlife Investigational Techniques**

2nd edition, 3rd printing

Edited by HENRY S. MOSBY

$4.50 (add $1.00 for overseas postage)

*Order from The Wildlife Society, Suite S-176, 3900 Wisconsin Ave. NW. Washington, D. C. 20016*